

Index

Numerics

- 1Password, 637
- 3-2-1 rule, 641
- 60-30-10 rule, 83–84
- 99.99 percent uptime, 696
- 301 redirect, 493, 505
- 302 redirect, 505

A

- AAAA record, 38
- abandoned cart recovery, 556
 - comparison shopping, 557
 - complicated checkout process, 557
 - email recovery sequence, 558–559
 - non-working discount offers, 557
 - required account creation, 557
 - security concerns, 557
 - simple distraction, 558
- Ableist language, 403
- above-the-fold content, 535
- absolute URLs, 148
- A/B testing, 77, 548, 551
 - principles and limitations, 549
 - product page tests, 549–550
 - testing tools, 550
- accessibility
 - accessible typography, 122–123
 - business benefits, 118
 - check, 676
 - color as sole indicator, 121–122
 - color contrast ratios, 121
 - common mistakes, 129
 - auto-playing content, 130
 - “click here” problem, 129
 - motion preferences, 130
 - PDF accessibility, 130–131
 - placeholder text, 129–130
 - tiny click targets, 130
 - human side of, 118
 - legal requirements, 119
 - testing for, 131, 616
 - automated testing tools, 131
 - automated tools, limitations of, 133
 - axe DevTools, 617

- color contrast checkers, 132
 - Lighthouse, 618
 - manual keyboard testing, 132
 - screen reader testing, 132
 - user testing with people with disabilities, 133
 - WAVE, 616–617
- web, 12
- workflow, 133–134
- accessibility, designing for, 117
 - focus indicators, 124
 - keyboard navigation basics, 123
 - logical tab order, 124
 - screen readers, 125
 - alternative text for images, 126
 - ARIA (Accessible Rich Internet Applications), 126–127
 - heading structure and hierarchy, 126
 - semantic HTML, 125
 - skip links for navigation, 124–125
 - Web Content Accessibility Guidelines (WCAG), 119
 - conformance levels, 120
 - four POUR principles, 119–120
- Accessible Canada Act, 119
- accessible PDFs, 130–131
- accessible websites, 118
- action attribute value, 159, 171
- active state, 109
- Acuity Scheduling, 378, 518
- `addEventListener()` method, 276, 304
- Add to Basket button, 551
- add to cart animation, 112
- Add to Cart button. 113, 518, 532, 535, 551
- administrator, 431
- Adobe Color, 85
- Adobe Firefly, 412–413, 417
- Adobe Stock, 91
- Adobe XD, 70
- Affirm, 570
- Afterpay, 570
- age-related disabilities, 117
- Ahrefs Webmaster Tools, 473
- Airtable, 396
- Allbirds, 81
- all caps text, 123
- all-in-one hosted platforms, 356
- alpha channel colors, 187–188

- Alpine.js for lightweight interactivity, 324
 - in action, 326–328
 - core directives, 325–326
 - distinguishing features, 325
- alt attribute, 155, 489–490, 676
- alternative text for images, 126
- alt text, 126, 133, 153–154, 414, 428, 489–490
- Amazon, 524
- Amazon Web Services, 40
- Americans with Disabilities Act (ADA), 12, 119
- analogous colors, 84
- analytics data, 345, 576, 587, 590, 591
- analytics insights, 576
- analytics tag, 677
- analytics tools, 576, 577, 588
 - tracking code installation, 578
 - tracking verification, 579
- anchoring, 541–542
- angle brackets, 48, 138
- Angular, 331
- animation, 76
 - CSS animation, 227–228
 - interactions and, 363
 - motion preferences, reduced, 228–229
 - timing and performance, 229–230
 - and transition planning, 113–114
- animation property, 228
- APIs (application programming interfaces), 51, 304
 - benefits of, 52
 - documentation, 314
 - in modern web development, 52
 - REST API, 304–305
 - RESTful APIs, 52–53
- append(), 274
- appendChild(), 274
- Apple, 73, 80, 83, 93, 114, 377, 612
- Apple Pay, 519, 520, 570
- A record, 38
- ARIA (Accessible Rich Internet Applications), 126–127, 169
- aria-label attribute, 169
- Arial font, 86
- arithmetic operators, 250–251
- array
 - combining arrays and objects, 259–260
 - creation and use, 258
 - methods, 258
- arrow functions, 253–254
- artificial intelligence (AI)
 - AI chatbots, 380–381
 - Framer, 366
- artificial intelligence for content creation, 405
 - best practices, 418–419
 - for brainstorming and optimization, 413
 - AI outlines and structure, 414
 - brainstorming and writer's block, 413
 - SEO and accessibility, AI for, 414
 - and content types, 414
 - long-form content, 415
 - short-form content, 415
 - structured content, 415
 - editing AI-generated content, 410
 - first-draft fallacy, 410
 - practical editing pass, 410–411
 - ethics and disclosure, 417
 - accuracy and hallucinations, 418
 - disclosure to readers, 417–418
 - training-data question, 417
 - image creation, 411
 - image AI landscape, 411–412
 - image-generation prompts, 412
 - on websites, 412–413
 - maintaining brand voice with AI, 416
 - web content, 406
 - AI applications, 406–407
 - AI functions, 406
 - AI limitations, 407
 - writing with AI tools, 407–410
- Asana, 396
- asynchronous operations, 302
 - callbacks and promises, 302
 - event loop, 302
- asynchronous programming, 301
- async keyword in JavaScript, 303–304
- attributes, working with, 272–273
- audience
 - audience personas, 10
 - target audience, defining, 9–10
- audio, 130, 394
- authentication, 636
 - password creation, 637
 - passwords, 637
 - two-factor authentication (2FA), 352, 637–638
- author, 431, 463
- autocomplete tool, 406, 472–473
- automated testing tools, 131
- automated tools, limitations of, 133
- automatically tracked events, 585–586
- auto-playing content, 130
- auto-renewal, 37
- Avalara, 531
- average order value (AOV), 559, 567, 568, 570
- AVIF, 90, 597
- await keyword in JavaScript, 303–304
- axe DevTools, 131, 132, 617

B

- background-color property, 188, 226
- background-image property, 188
- background-position property, 189
- background-repeat property, 189
- background-size property, 189
- backups, 56, 344–345, 352
 - 3-2-1 rule, 641
 - database, 642
 - off-site, 650, 656
 - site files, 642
 - testing, 643
- backup tools for WordPress sites, 642
- Balsamiq, 70
- Beaver Builder, 350
- before-and-after rewrite, 399
- behavior-triggered messages, 564
- Best Buy, 83
- Better Stack, 696
- BigCommerce, 516, 517
- Bitwarden, 637
- black color
 - psychology of, 83
 - pure black, 110
- Black Friday week, 551
- block editor, 348
 - building pages with, 345, 347–348
 - business-page blocks, 346–347
 - using blocks, 346
- block scoping, 254
- block themes, 343
- blog comments, 697
- blogging for business, 437
 - blog post best practices, 441
 - anatomy, 441
 - formatting for scanners, 443
 - frequency, 442–443
 - length, 442
 - categories, 440–441
 - commenting, 447
 - community without comments, 448
 - content distribution strategy, 448
 - email newsletters, 448–449
 - repurposing posts, 450
 - RSS (Really Simple Syndication) feeds, 449
 - social media sharing, 449
 - headlines, 443
 - to avoid, 444–445
 - formulas, 444
 - importance, 443–444
 - multimedia, 445
 - images, 445
 - minimalism, 446
 - video, 445–446
 - performance measurement, 450
 - key metrics, 450–451
 - tracking tools, 451
 - platform choice, 439
 - SEO connection, 438–439
 - vs social media, 438
 - spam management, 447
 - structure, 439–440
- blog posts, 392–393, 419, 426, 438–440, 443, 445, 448–450, 480, 491
 - anatomy of, 441
 - using video in, 446
- blue color, psychology of, 82
- Bluehost, 39, 338
- booking and scheduling, 377
 - Acuity Scheduling, 378
 - booking links, 379
 - Calendly, 377–378
- Booleans, JavaScript, 249
- Bootstrap, 329, 330
- border-radius property, 190
- border radius tokens, 108
- border shorthand property, 189
- bottom navigation bar, 73, 104
- bounce rate, 580, 583
- box model, CSS, 182
 - diagram, 195
 - and layout basics, 182
 - box-sizing property, 184–185
 - display property, 185–186
 - padding and margins, 183–184
 - width and height, 182–183
- brainstorming and optimization, AI for, 413
 - AI outlines and structure, 414
 - brainstorming and writer's block, 413
 - SEO and accessibility, 414
- brand personality, 80–81
- brand voice consistency, 399
 - one-page voice guide, 400–401
 - voice consistency across authors, 401
 - voice vs tone, 400
 - “we are X but not Y” exercise, 400
- brand voice maintenance with AI, 416
 - feeding AI writing samples, 416
 - reusable style prompts, 416
- breach notification, 57

- breakpoints, 101–102
 - choosing, 207–208
 - setting, 261
- break statement, 257
- Brevo, 382
- broken link, 504, 699
 - causes, 620
 - checking and fixing, 700–701
 - external links, 700
 - Google Search Console, 504
 - internal links, 700
 - Screaming Frog SEO Spider, 505
 - tools for finding, 620–621
- Broken Link Check, 700
- Broken Link Checker, 505, 621
 - by AIOSEO, 700
- Brotli, 602
- browse abandonment, 555
- browser caching, 602–603
- browser compatibility, 156, 612–613
- browser developer tools
 - for CSS, 194
 - debugging CSS problems, 196–197
 - developer tools, opening, 194–195
 - elements, inspecting, 195
 - modifying CSS in real-time, 195–196
 - for JavaScript, 260
 - breakpoints, setting, 261
 - console, opening, 260
 - `console.log()` method, 260
 - error messages, reading, 261
- browser/device differences, 686
- browsers for testing, 613
- BrowserStack, 614
- brute-force attacks, 55, 351, 352, 630
- budget for website building, 14–15
- bug tracking and resolution, 623
 - bug reports, 624
 - tracking tools, 624–625
- build tools, 601
- bulleted lists, 150–151
- business-page blocks, 346–347
- business websites, 343
 - essential plugin categories, 344–345
 - plugins installation, 343–344
- `button.blur()`, 277
- Button block, 346
- button components, 99
- button hover effect, 112
- button variations, 93
- buy-now-pay-later (BNPL) services, 570
- buy one, get one (BOGO), 561

C

- cache busting, 603
- caching, 345, 602
 - browser caching, 603
 - cacheable content, 604
- caching plugin, 345
 - for WordPress, 603–604
- calendar
 - common editorial mistake, 396
 - contents, 395
 - syncing, 378
 - vs wish list, 395
- Calendly, 29, 372, 373, 377–378
- call-to-action (CTA) button, 99, 105, 216, 347, 366, 441, 534, 549
- camelCase, 248, 252, 269, 273
- Canva, 349
- Capital One, 82
- CAPTCHA tools, 631
- captions and transcripts for media, 403
- card components, 93
- card layouts, 218–219
- cart abandonment, recovery, 556
 - comparison shopping, 557
 - complicated checkout, 557
 - email recovery sequence, 558–559
 - non-working discount offers, 557
 - required account creation, 557
 - security concerns, 557
 - simple distraction, 558
- cart abandonment rate, 556–557, 567, 568
- case studies and customer stories, 393
- CCPA (California Consumer Privacy Act), 57, 529
- centerpiece, website as, 13
- Chanel, 81, 83
- change event, 278
- character encoding, 140–141
- charm pricing, 541
- Chase, 82
- ChatGPT, 406, 408
- checkboxes, 164–165
- checkout optimization, 569
 - form fields, 569–570
 - guest checkout, 569
 - one-page vs multistep checkout, 571
 - payment options, 570
 - trust signals, 570–571
- checkout opt-in, 555
- choosing web-building approach, 19
 - available options, understanding, 20
 - constraints, starting with, 30

- custom coding, 26–28
- decision framework, 31, 32
- DIY decision tree, 20–22
- hybrid approaches, 28–30
- modern visual tools, 25–26
- testing before committing, 30–31
- website builders, 22–23
- whole picture, considering, 31
- WordPress, 23–25
- Chrome, 194, 230, 613
- Chrome DevTools, 607, 613–616
 - Lighthouse in, 609
- `clamp()` function, 213–214
- classic themes, 343
- `classList` property, 270
- class selectors, 179–181
- Claude, 406, 408
- `clearError()`, 287
- clickable buttons, 544
- click event, 276
- “click here” problem, 129
- client-server model, 46
 - client and server, 46
 - HTTP and HTTPS, 46–47
- cloaking, 482
- Cloudflare, 36, 42, 56, 639
- cloud hosting, 40
- CLS. *See* Cumulative Layout Shift (CLS)
- CNAME record, 38
- Coca-Cola, 82
- code minification and compression, 600
 - CSS and JavaScript minification, 601
 - server-side compression, 602
- cohesive strategy, integration into, 13–14
- color, 107, 110
 - contrast checkers, 132
 - contrast ratios, 121
 - dark mode, color system for, 110–111
 - psychology, 82–83
 - 60-30-10 rule, 83–84
 - color harmony, creating, 84–85
 - as sole indicator, 121–122
- color blindness, 118, 121
- color/image swatches, 544
- color palette, 80, 81, 92, 114
- color property, 191
- color tokens, 108
- color values in CSS, 186
 - alpha channel colors, 187–188
 - hexadecimal (hex) colors, 187
 - HSL colors, 187
 - named colors, 186
 - RGB colors, 187
- color wheel, 84–85, 187
- `cols` attribute, 164
- column dropping, 103–104
- comments
 - and community, 446
 - commenting, 447
 - community without comments, 448
 - spam management, 447
 - and form spam, 631
 - and spam management, 697
 - comment moderation, 698
 - spam prevention, 697–698
 - spam sources, 697
- Commercial, user intent, 470
- commercial keywords, 471
- comparison operators, 251
- comparison shopping, 557
- competitive analysis, 476
 - competitor keywords, 477
 - competitors, 477
 - content gaps, 477–478
- competitors, copying, 17
- complementary colors, 84
- component-based design, 98. *See also* responsive navigation
 - component flexibility, 100
 - component variations, 101
 - design components, 98–99
 - thinking in components, 99–100
- component libraries, 114, 328
 - Bootstrap, 329
 - component documentation, 114–115
 - design to implementation, 115
 - Tailwind CSS, 329–330
- components, 107–109
 - styles, 92
 - variations, 101
- Computed tab, 197
- console, opening, 260
- `console.error()`, 260
- `console.log()` method, 260, 261
- `console.table()`, 260
- `console.warn()`, 260
- `const`, declaring variables with, 247–248
- constraints, starting with, 30
- Contact Form 7, 345
- contact forms, 697
 - submission, 585
 - validation, 286–287

- contact information, 571
- container queries, 209, 213
 - importance of, 210
 - vs media queries, 214–215
 - naming containers, 211
 - Orbital Donuts example, 211–212
 - setup, 210–211
- @container rule, 210
- container-type property, 210
- contains() method, 294
- content, 15
 - accessibility, 401
 - ableist, exclusionary, and idiomatic language, 403
 - captions and transcripts, 403
 - headings as structure, 402
 - plain language, 402
 - delivery, 422
 - flexibility, 100
 - freshness, 694
 - content refreshing, 694
 - stale content, 694
 - updated content, 695
 - grouping and categorizing, 66–67
 - optimization, 487
 - content depth and freshness, 489
 - keyword placement, 488
 - writing for people, 488
 - organization, 422
 - prioritization across screens, 102–103
 - storage, 422
 - version control for, 428
 - content scheduling, 430
 - drafts, revisions, and published states, 429
 - version restoration, 429–430
- content audits, 701
 - content inventory, 701
 - keep, 702
 - merge, 702
 - retire, 702
 - ROT test, 702
 - update, 702
- content creation, AI for, 405
 - best practices, 418–419
 - for brainstorming and optimization, 413
 - AI outlines and structure, 414
 - brainstorming and writer's block, 413
 - SEO and accessibility, AI for, 414
 - and content types, 414
 - long-form content, 415
 - short-form content, 415
 - structured content, 415
 - editing AI-generated content, 410
 - first-draft fallacy, 410
 - practical editing pass, 410–411
 - ethics and disclosure, 417
 - accuracy and hallucinations, 418
 - disclosure to readers, 417–418
 - training-data question, 417
 - image creation, 411
 - image AI landscape, 411–412
 - image-generation prompts, 412
 - on websites, 412–413
 - maintaining brand voice with AI, 416
 - web content, 406
 - AI applications, 406–407
 - AI functions, 406
 - AI limitations, 407
 - writing with AI tools, 407–410
- content delivery network (CDN), 41–42, 322
- content distribution strategy, 448
 - email newsletters, 448–449
 - repurposing posts, 450
 - RSS (Really Simple Syndication) feeds, 449
 - social media sharing, 449
- Contentful, 434
- content gaps, finding, 477–478
- content inventory, creating, 66
- content management system (CMS), 26, 53, 421. *See also* WordPress
 - content version control, 428
 - content scheduling, 430
 - drafts, revisions, and published states, 429
 - version restoration, 429–430
 - core functions, 422
 - functions, 53–54
 - headless CMS, 432
 - definition, 433
 - platforms, 434–435
 - traditional CMS, comparison, 434
 - use cases, 433–434
 - headless CMS, 54–55
 - media libraries, 426
 - alt text, 428
 - file naming, 427
 - image processing, 427–428
 - organization, 427
 - multi-author workflows, 430
 - change tracking, 432
 - draft-review-publish workflow, 431–432
 - roles and permissions, 431
 - pages, creating and organizing, 424
 - categories, tags, and taxonomies, 426

- navigation, 425–426
 - pages vs posts, 424
 - URLs, structuring, 424–425
- popular CMS options, 54
- selection, 423
- types, 422–423
- content plan, creating, 390
 - content pillars, 390–391
 - filled-in content plan, 391–392
 - four questions every plan answers, 390
- content property, 236
- Content Security Policy (CSP) header, 636
- content strategy for website, 389
 - brand voice consistency, 399
 - one-page voice guide, 400–401
 - voice consistency across authors, 401
 - voice vs tone, 400
 - “we are X but not Y” exercise, 400
- editorial calendar, 395
 - calendar contents, 395
 - calendar tools, 396
 - calendar vs wish list, 395
 - realistic publishing schedule, 396
- scannable web content, 397
 - before-and-after rewrite, 399
 - front-loaded sentences and paragraphs, 397
 - inverted pyramid, 397
 - lists, 398
 - meaningful link text, 398
 - meaningful subheads, 398
 - short paragraphs, 398
- content types, 392
 - AI and, 414
 - long-form content, 415
 - short-form content, 415
 - structured content, 415
- blog posts, 392–393
- case studies and customer stories, 393
- content type selection, 394
- cornerstone pages, 392
- FAQ pages and answer content, 393
- landing pages, 393
- newsletters, 394
- selection, 394
- service and product pages, 393
- video and audio, 394
- contrast, 110
- contributor, 431
- control flow, 254
 - for loops, 257
 - for . . . of loops, 257
 - if . . . else statements, 255
 - switch statements, 255–257
- conversion rate, 475, 534, 567, 568
- ConvertKit. *See* Kit
- cookie and consent notices, 676
- Cookiebot, 58
- cookie consent, 57, 58
- Coolors, 85
- Copilot, 408
- copy-and-pasted language, 540
- Core Web Vitals, 361, 594, 619
 - checking, 595–596
 - CLS (Cumulative Layout Shift), 595
 - INP (Interaction to Next Paint), 594–595
 - LCP (Largest Contentful Paint), 594
 - and page experience, 459–461
- cornerstone pages, 392, 479
- CORS error, 311
- cost per click (CPC), 474
- coupon codes vs automatic discounts, 562–563
- cPanel, 339, 664
- crawl budget, 504
- crawl errors, 509
- crawling, 456
- Crayola, 81
- createElement(), 274, 304
- Creative Commons Zero (CC0) licenses, 91
- credential stuffing attack, 352, 637
- credibility, website, 13
- Crisp, 380
- cross-browser testing, 612, 625
 - browser compatibility, 612–613
 - browsers for testing, 613
 - cross-device testing, 613–614
- cross-site scripting (XSS), 55, 631, 638–639
 - SQL injection and, 638–640
 - XSS attack, 269
- CSS (Cascading Style Sheets), 2, 20, 26–28, 175
 - animations, 225
 - keyframe, 227–228
 - motion preferences, reduced, 228–229
 - timing and performance, 229–230
 - background properties, 188–189
 - border properties, 189
 - border-radius property, 190
 - box model, 182
 - box model and layout basics, 182
 - box-sizing property, 184–185
 - display property, 185–186
 - padding and margins, 183–184
 - width and height, 182–183

CSS (Cascading Style Sheets) *(continued)*

- browser developer tools for, 194
 - debugging CSS problems, 196–197
 - developer tools, opening, 194–195
 - elements, inspecting, 195
 - modifying CSS in real-time, 195–196
- cascade and specificity, 181–182
- color values in, 186
 - alpha channel colors, 187–188
 - hexadecimal (hex) colors, 187
 - HSL colors, 187
 - named colors, 186
 - RGB colors, 187
- CSS filters, 233–234
- custom properties, 193
 - defining, 193
 - fallback values, 194
 - using, 193–194
- dark mode, 237
- design, 238–239
 - Orbital Donuts, implementation for, 239–240
 - user preference detection, 238
- font properties, 190–191
- pseudo-classes, styling states with, 234–236
- pseudo-elements, creating content with, 236–237
- style, 48–49
- text properties, 191–192
- transform-origin, 232–233
- transitions, 226–227
- 2D transforms, 231–232
- web fonts, 192–193

CSS files, links to, 141

CSS Grid for complex designs, 203

- first grid, creating, 203–204
- grid areas, defining, 205–207
- repeat() function, 204–205
- responsive grid creation with auto-fit, 205

CSS layout techniques, 199

- challenges and solutions, 220
 - element centering, 221–222
 - equal-height columns, 220–221
 - layout overflow, preventing, 222
 - visually element reordering, 222–223
- container queries, 209
 - containers, naming, 211
 - importance of, 210
 - vs media queries, 214–215
 - Orbital Donuts example, 211–212
 - setup, 210–211
 - units, 213–214

Flexbox for flexible layouts, 199

- Flexbox model, 200
- flex direction, 200–201
- flex item sizing, 202
- flex-wrap property, 202–203
- item alignment with justify-content and align-items, 201–202
- practical layout patterns, 215
 - card layouts, 218–219
 - floating button, 216–218
 - multicolumn content, 219–220
 - responsive headers, 215–216
 - sticky footer, 220
- responsive design with media queries, 207
 - breakpoints, choosing, 207–208
 - common media query patterns, 209
 - media query syntax, 207
 - mobile-first approach, 208–209

CSS Minifier, 601

CSS syntax, 175

- class selectors, 179
- combined selectors, 180
 - class selectors, 180–181
 - descendant selectors, 180
 - multiple selectors, 181
- CSS rule, anatomy of, 176
- element selectors, 178–179
- HTML documents, adding CSS to, 177–178
 - external stylesheet, 178
 - inline styles, 177
 - internal stylesheet, 177
- ID selectors, 180

Cumulative Layout Shift (CLS), 460, 595

curly braces, 176

custom coding, 20–22, 26

- advantages, 27–28
- choosing, 28
- cost, 28
- disadvantages, 28

Custom CSS, 358, 359

customer count/sales count, 548

customer lifetime value (CLV), 567, 568

customer photos of products in reviews, 547

customer retention strategies, 564

- loyalty programs, 564–565
- post-purchase follow-up, 565
- re-engagement campaigns, 566

custom events, 586–587

Custom HTML, 373, 380

Customizer, 343

custom reports, 566, 588

D

- DALL-E, 412
- dark mode, 109
 - design principles, 109–110
 - implementing CSS for
 - designing, 238–239
 - Orbital Donuts, implementation for, 239–240
 - user preference detection, 238
 - planning color system for, 110–111
- Dashlane, 637
- data attributes, 273
 - triggering the modal with, 297–298
 - x-data attribute, 328
- database, 642
- database maintenance, 698
 - backup before cleaning, 699
 - database cleanup, 698
- data collection transparency, 57
- data-driven decisions, 589
 - data into action, 590
 - patterns vs noise, 590
 - weekly check-ins, 589–590
 - when to seek help, 591
- data types, 249–250
- date ranges and comparisons, 581
- date selection, 162
- DDoS (Distributed Denial of Service) attacks, 55, 631
- dead link. *See* broken link
- Dead Link Checker, 621, 700
- Debugger, 261
- decisions, making, 30
 - constraints, starting with, 30
 - decision framework, 31
 - testing before committing, 30–31
 - whole picture, considering, 31
- decoy effect, 542
- `defer` attribute, 325, 607–608
- Delivered message, 555, 565
- demographics, 9
- deployed version verification, 684
- deployment options, 662
 - FTP deployment, 664
 - GitHub Pages, 663–664
 - Netlify, 662–663
 - Vercel, 663
- descendant selectors, 180
- description length, 550
- design decisions affecting speed, 76
- design documentation, 94
- design iteration, 76
 - A/B testing, 77
 - early and frequent feedback, 76–77
 - and refinement, 94–95
 - stopping iteration, 77–78
- design systems
 - creating, 107
 - extensive, 93
- design tokens, 107–108
- desktop breakpoints, 102
- desktop navigation patterns, 105–106
- developer tools, opening, 194–195
- device and geographic data, 584
- DevTools, 230, 609
- DigitalOcean, 40
- digital products and services, 517–518
- disabled state, 109
- discount and promotion strategies, 560
 - coupon codes vs automatic discounts, 562–563
 - discount effectiveness, 561–562
 - discount types, 561
 - seasonal and time-limited promotions, 562
- display fonts, 86, 88
- `display` property, 185–186
- `div` element, 142, 170
- Divi, 350
- DIY decision tree, 20–22
- DNS (Domain Name System), 34, 37–38
 - prefetching, 606–607
 - propagation, 38
- DOCTYPE declaration, 140
- `document.getElementById()` method, 267
- `document.querySelector()` method, 304
- document object model (DOM), 263, 264
 - document object, 266
 - DOM tree, 264–266
- dollar amount off, 561
- domain name, 15, 34–35
- domain names and web hosting, 33
 - choosing web hosting services, 38
 - cloud hosting, 40
 - shared vs managed hosting, 39–40
 - WordPress-specific hosting, 41
 - Content Delivery Network (CDN), 41–42
 - DNS (Domain Name System), 37–38
 - email with domain, setting up, 42–43
 - setup, domain and hosting, 43–44
- domain privacy and protection, 35
- domain registrar, 36
- domain selection and registration, 35–37
- `DOMContentLoaded`, 276, 278, 324, 586
- donut card component, 99
- `donuts.json` file, 306–308, 314
- “don’t make me think” principle, 63–64
- doorway pages, 481

- draft-review-publish workflow, 431–432
- drag-and-drop canvas, 356–357, 369
- drag-and-drop tools, 20, 22, 365
- DreamHost, 39, 338
- dropdown menus, 543
- dropdown submenus, 357
- drop-shadow() filter, 234
- duplicate content, 509

E

- eco-friendly brands, 81
- e-commerce. *See also* checkout optimization; product pages
 - analytics and metrics, 566
 - acting on data, 568
 - data sources, 567–568
 - key metrics, 567
 - inventory management, 525
 - product variants, 526
 - stock levels, 525–526
 - legal requirements for online selling, 529
 - accessibility, 532
 - privacy policies and terms of service, 529–530
 - return and refund policies, 531–532
 - sales tax, 530–531
 - payment processing, 518
 - fees, 520–521
 - how it works, 518–519
 - payment providers, 519–520
 - platforms, 514
 - digital products and services, 517–518
 - other platforms, 516–517
 - platform selection, 517
 - Shopify, 514–515
 - WooCommerce, 515–516
 - security and PCI compliance, 526
 - PCI compliance, 527–528
 - platform security, 528
 - shipping and fulfillment options, 521
 - self-fulfillment vs outsourcing, 523–524
 - shipping strategies, 522–523
 - shipping zones and rates, 524–525
- e-commerce marketing and optimization, 553
 - abandoned cart recovery, 556
 - cart abandonment, 557–558
 - recovery sequence, 558–559
 - checkout optimization, 569
 - form fields, 569–570
 - guest checkout, 569
 - one-page vs multistep checkout, 571
 - payment options, 570
 - trust signals, 570–571
 - customer retention strategies, 564
 - loyalty programs, 564–565
 - post-purchase follow-up, 565
 - re-engagement campaigns, 566
 - discount and promotion strategies, 560
 - coupon codes vs automatic discounts, 562–563
 - discount effectiveness, 561–562
 - discount types, 561
 - seasonal and time-limited promotions, 562
 - e-commerce analytics and metrics, 566
 - acting on data, 568
 - data sources, 567–568
 - key metrics, 567
 - email marketing automation, 554
 - automated sequences, 554–555
 - email list building, 555–556
 - email marketing platforms, 556
 - personalization techniques, 563–564
 - upselling and cross-selling strategies, 559–560
- Ecwid, 517
- Edge, 194, 613
- editing AI-generated content, 410
 - first-draft fallacy, 410
 - practical editing pass, 410–411
- editor, 431
- editorial calendar, 395
 - calendar contents, 395
 - calendar tools, 396
 - calendar vs wish list, 395
 - realistic publishing schedule, 396
- E-E-A-T (experience, expertise, authoritativeness, trustworthiness), 462
 - components, 462–463
 - demonstrating on sites, 463–464
- element centering, 221–222
- element nodes, 265
- Elementor Free, 350
- Elementor Pro, 350
- elements
 - creating and adding, 274–276
 - inspecting, 195
 - removing, 276
- element selector, 178–179
- Elements tab, 195, 266
- else if statement, 255
- email, 14, 162, 563
 - APIs in, 52
 - delivery, 685
 - with domain, 42–43

- marketing, 12
- marketing automation, 554
 - automated sequences, 554–555
 - email list building, 555–556
 - email marketing platforms, 556
- marketing integration, 381
 - email platforms, 382
 - signup forms, 382–384
- newsletters, 448–449
- post-purchase email, 546
- spoofing, 631
- end-to-end testing, 685
- engagement rate, 580
- equal-height columns, 220–221
- equality operator, 251
- error handling, 317
 - loading message, 317–318
 - try/catch with `async/await`, 318–319
- error messages, 167
 - clearing, 127–128
 - displaying, 261
- Escape key, 294, 299
- escape output, 639
- European Accessibility Act, 119
- event, 276
 - common event types, 278–280
 - event listeners, adding, 276–277
 - understanding, 276
- `event.preventDefault()`, 280–281, 288, 316
- event handler, 276
- event listener, 276, 316
- event loop, 302
- event object, 280–281
- `every()` method, 289
- exclusionary language, 403
- exit pages, 583–584
- external links, 620–621, 700
- external stylesheet, 178

F

- Facebook, 13, 36, 52, 82, 330, 381, 438, 449
- Facebook Pixel, 58
- fake reviews, 466, 546, 697
- fallback values, 194
- FAQ pages and answer content, 393
- Fathom, 367, 451, 576
- Fathom Analytics, 577
- feature creep, 16–17
- `fetch()` function, 303, 305–306, 308, 311, 312

- form data, 315
 - sending, 315
 - submitting, 315–317
- fieldset element, 169
- FigJam, 70
- Figma, 70, 81, 114, 349, 364
- file data, fetching, 306
 - data, rendering to page, 309–311
 - data, updating in one place, 308
 - `donuts.json` file, 306–308
 - JSON file, fetching, 308–309
- filled-in content plan, 391–392
- `filter()` array method, 311
- `filter` property, 233
- Firefox, 195, 244, 323, 613
- Firefox Developer Tools, 614
- first persona, building, 64–65
- five-second test, 622–623
- flat-file CMS, 423
- flat-rate shipping, 522, 524
- `flex-basis` property, 202
- Flexbox, 220, 221
 - for flexible layouts, 199
 - Flexbox model, 200
 - flex direction, 200–201
 - flex item sizing, 202
 - flex-wrap property, 202–203
 - item alignment with `justify-content` and `align-items`, 201–202
- flex container, 200, 202
- `flex-direction` property, 200
- `flex-grow` property, 202
- flex items, 200–202, 222
- `flex-shorthand` property, 202
- `flex-shrink` property, 202
- `flex-wrap` property, 202–203
- floating button, 216–218
- Flywheel, 40, 338
- focus indicators, 124
- focus state, 109
- FOIT (flash of invisible text), 608
- `font-display` CSS property, 608
- `font-family` property, 190–191
- font loading strategies, 608
- FontPair, 88
- fonts, 76
 - pairing, 87–88
 - personality, 86–87
 - preloading, 605–606
 - properties, CSS, 190–191
 - size, 122

- font-size property, 191, 213
- font stack, 191
- font-style property, 191
- font-weight property, 191
- footer component, 99
- footer signup form, 555
- for attribute, 161, 168
- forEach, 258, 268, 286, 326
- for loops, 257
- FormData object, 315–317
- form elements, 93, 159, 161, 180, 372, 586, 612
- form fields, 127, 168, 278, 569–570
- formFields configuration object, 287
- form-handling options
 - Google Form, 172
 - Jotform, 172
 - Netlify Forms, 171
 - Typeform, 172
- forms
 - accessible forms and interactive elements, 127
 - error messages and validation, 127–128
 - interactive widgets, 128
 - labels and form fields, 127
 - required fields and instructions, 128
 - contact forms, 697
 - submission, 585
 - validation, 286–287
 - form builders, 374
 - Google Forms, 374–375
 - Jotform, 375–376
 - selection, 376–377
 - Typeform, 376
 - invalid form submission, blocking, 288
- Formspree, 171–172, 315–317, 377
- form submission failure, 687
- form validation, 112, 244
- for . . . of loops, 257
- Framer, 25, 364, 369, 373
 - AI features, 366
 - design canvas, 364–366
 - publishing in, 366–367
- free shipping, 522, 561
- free trials, 30
- front-loaded sentences and paragraphs, 397
- FTP (File Transfer Protocol), 421, 662, 664
- Fulfillment by Amazon (FBA), 524
- full launch, 679–680
- Full Site Editing (FSE), 348
- Full Site Editor, 343
- functionality, adding, without coding, 371
 - AI chatbots, 380–381
 - booking and scheduling, 377

- Acuity Scheduling, 378
 - booking links, 379
 - Calendly, 377–378
- email marketing integration, 381
 - email platforms, 382
 - signup forms, 382–384
- form builders, 374
 - Google Forms, 374–375
 - Jotform, 375–376
 - selection, 376–377
 - Typeform, 376
- live chat tools, 379–380
- no-code workflow automation, 384
 - automation platform selection, 386
 - Make, 385–386
 - Zapier, 384–385
- third-party tool approach, 372
 - embed code placement, 373
 - embedding, 372–373
 - evaluation, 373–374
- functions, 252
 - arrow functions, 253–254
 - creation, 252–253
- Futura font, 86

G

- GDPR (General Data Protection Regulation), 57, 529, 556
- Gemini, 406, 408, 411
- Georgia font, 86
- Get Directions click, 585
- getElementById, 245–246, 267–268
- GET requests, 159, 315
- Git, 651
 - cheat sheet, 666–667
 - command line, 652
 - .gitignore, 655–656
 - Git workflow, 654
 - project history, 654–655
 - repository initialization, 652–653
 - staging and committing, 653–654
- GitHub for website projects, 656
 - cloning and pulling, 658
 - connecting local repositories, 657–658
 - GitHub repositories, 656–657
- GitHub Issues, 624–625
- GitHub Pages, 663–664
- .gitignore, 655–657
- Git workflows for solo developers, 659
 - branches, 660
 - intentional commits, 659
- global scope, 254

- goals, setting clear, 8–9
- goals and events, tracking, 584
 - automatically tracked events, 585–586
 - common goals, 585
 - custom events, 586–587
 - marking events as goals, 587–588
- GoDaddy, 37
- going live, 681
 - first 48 hours, 688
 - 48-hour monitoring, 689
 - initial monitoring, 689
 - launch completion, 690
 - launch-day log, 689
- launch-day checklist, 682
- launch-day problems, 685
 - browser/device differences, 686
 - fixing, waiting, or rolling back, 688
 - form submission failure, 687
 - missing images, 686–687
 - page update failures, 687
 - unstyled pages, 686
- launch process, 682
 - domain and propagation, 683
 - launch runbook, 683
 - switch confirmation, 683–684
- production testing, 684
 - deployed version verification, 684
 - email delivery, 685
 - end-to-end testing, 685
- Google, 11, 93, 173, 364, 489, 493, 498–499, 612
 - algorithm updates, 458
 - implications, 459
 - key updates, 458–459
 - autocomplete, 472
- Google Analytics, 58, 367, 451, 566, 677
- Google Analytics 4 (GA4), 345, 568, 576, 577, 677
- Googlebot, 456, 491, 503, 504, 509
- Google Business Profile, 13, 464–465, 494
- Google Cloud Platform, 40
- Google Fonts, 87, 89, 192, 606, 608, 636
- Google Forms, 172, 372, 374–376
- Google Keyword Planner, 473
- Google PageSpeed Insights, 595, 609, 618–619, 626
- Google Pay, 519, 520, 570
- Google Search Console, 345, 466, 472, 499, 502, 504, 507, 510, 596, 645, 684
 - fixing issues, 508
 - key reports, 508
 - setup, 507
- Google Tag Manager, 578
- Google Trends, 472
- Google Workspace, 42, 43

- GPU (graphics processing unit), 230
- grade 8 reading level, 402
- green color, psychology of, 82
- grid areas, defining, 205–207
- grid container, 203–204
- grid-template-areas property, 206, 223
- grid-template-columns property, 203
- grid-template-rows property, 203
- gtag() function, 587
- GTmetrix, 619
- guerrilla testing. *See* hallway test
- guest checkout, 569
- Gutenberg, 346, 348, 350
- Gzip, 498, 602

H

- Hallmark, 83
- hallucinations, 407, 418
- hallway test, 622
- hamburger menu, 72, 104, 289–290, 293, 615
- header component, 98
- header tag hierarchy, 486
 - headings and SEO, 486
 - heading structure, 486–487
- heading block, 346
- headings
 - document hierarchy, 126, 145–146
 - as structure, 126, 402
- headless content management system, 29, 54–55, 423, 432
 - definition, 433
 - platforms, 434–435
 - traditional CMS, comparison, 434
 - use cases, 433–434
- headlines, 443
 - to avoid, 444–445
 - formulas, 444
 - importance, 443–444
- Headline variations, 414, 444
- Helvetica font, 86
- Hemingway Editor, 402
- hero image, 63, 605
- HetrixTools, 696
- hexadecimal (hex) colors, 187
- hidden text, 481
- Hofstadter's law, 15
- Home Depot, 83
- honeypot fields, 173, 631
- honeypot technique, 172–174, 697
- hosted website builders, 423
- HostGator, 39

- hosting, 24, 25, 27, 28
- Hostinger, 338
- Hotjar, 623
- hover, 37, 109, 112
- href attribute, 147
- HSL colors, 187
- HTML (HyperText Markup Language), 1, 2, 20, 26–28, 137
 - adding CSS to HTML documents, 177–178
 - external stylesheet, 178
 - inline styles, 177
 - internal stylesheet, 177
 - bulleted lists, 150–151
 - changing HTML content, 269
 - elements and tags, 138–139
 - HTML5, 142, 143, 162, 166–167, 273
 - images and multimedia, 152
 - effective alt text, 153–155
 - img element, 152–153
 - links and navigation, 147
 - absolute vs relative links, 148
 - basic links, creating, 147
 - navigation menus, creating, 149
 - modern HTML document structure, 139
 - body section, 141–142
 - DOCTYPE declaration, 140
 - head section, 140–141
 - html element, 140
 - numbered lists, 151–152
 - responsive images, 155
 - videos, adding, 155–156
 - semantic HTML elements, 142
 - essential semantic tags, 143–145
 - headings, document hierarchy, 145–146
 - importance of, 142–143
 - paragraphs and text formatting, 146
 - structure, 47–48
- HTML forms and user input, 157
 - accessible forms, 168
 - ARIA labels, 169
 - fieldsets and legends, 169
 - keyboard accessibility, 170
 - label elements, 168
 - essential form input types, 161
 - checkboxes, 164–165
 - radio buttons, 165
 - select dropdowns, 166
 - specialized input types, 162–163
 - textareas, 164
 - text inputs, 161
 - forms, connecting to email and services, 170
 - form-handling services, 171–172
 - Formspree, 171

- forms, structure and functions, 158
 - concise forms, 159–160
 - form labels, 160–161
 - related fields, grouping, 160
- form validation, 166–168
- spam prevention, 172
 - choosing spam-prevention methods, 174
 - honeypot technique, 172–173
 - reCAPTCHA, 173–174
- HTTP, 46–47
 - compression, 602
 - POST request, 315
- HTTPS, 46–47, 56, 635, 683
 - and clean URLs, 673
 - and security signals, 500
 - HTTPS set up, 500
 - mixed content warnings, 500–501
- hybrid approaches, 28
 - appropriate uses, 29
 - real-world examples, 29
 - traps to avoid, 29–30

I

- IBM, 93
- id attribute, 168, 180, 266, 586
- idiomatic language, 403
- ID selectors, 180
- iframe, 372
- iframe element, 156
- if statement, 255
- if...else statement, 255
- image audit, 674–675
- Image block, 346
- image creation with AI tools, 411
 - AI images on websites, 412–413
 - image AI landscape, 411–412
 - image-generation prompts, 412
- image guidelines, 92
- ImageOptim, 598
- image optimization
 - and alt text, 489
 - alt attribute, 489–490
 - file names and image formats, 490
- techniques, 596
 - image compression, 597–598
 - image formats, 596–597
 - lazy loading, 598
 - picture element, 599–600
 - responsive images, 599

- images, 76, 89, 110, 445
 - alternative text for, 126
 - modern image formats, 90
 - and multimedia, 152
 - effective alt text, 153–155
 - `<img>` tag, 152–153
 - processing, 427–428
 - responsive, 155
 - videos, adding, 155–156
 - stock photos, 91
- `<img>` tag, 152–153
- index, 258
- indexing, 456–457. *See also* mobile-first indexing
- infinity curve, 536
- Informational, user intent, 470
- informational keywords, 471, 480
- information architecture (IA) and sitemaps, 66
 - content grouping and categorizing, 66–67
 - content inventory, 66
 - sitemap creation, 67–68
- `inline-size` declaration, 210
- inline styles, 177
- `innerHTML` property, 269
- INP. *See* Interaction to Next Paint (INP)
- input event, 276, 278, 280, 284, 286, 288
- insecure hosting environments, 351
- Instagram, 13, 14, 36, 52, 76, 438, 449
- interaction feedback, 112–113
- Interaction to Next Paint (INP), 460, 594–595
- interactive widgets, 128
- internal linking, 490, 620, 700
 - anchor text, 492
 - linking structure, 491
- internal stylesheet, 177
- Internet Explorer, 323, 612, 613
- inventory management, 525
 - product variants, 526
 - stock levels, 525–526
- inverted pyramid, 397
- IP (Internet Protocol) address, 34, 37–38, 352, 606
- iPad, 613, 615
- iPhone, 612, 613, 615, 616
- iThemes Security. *See* Solid Security
- iubenda, 530

J

- JavaScript, 1, 2, 20, 26–28, 220, 243
 - adding to pages, 245
 - external scripts, 246–247
 - inline scripts, 245–246

- array creation and use, 258
- array methods, 258
- arrays and objects, combining, 259–260
- browser developer tools for, 260
 - breakpoints, setting, 261
 - console, opening, 260
 - `console.log()` method, 260
 - error messages, reading, 261
- control flow, 254
 - for loops, 257
 - for...of loops, 257
 - if...else statements, 255
 - switch statements, 255–257
- data types, 249–250
- execution in browsers, 244–245
- files, 141
- functions, 244, 252
 - arrow functions, 253–254
 - function creation, 252–253
- interactivity, 49
- objects creation and use, 259
- operators, 250
 - arithmetic operators, 250–251
 - comparison operators, 251
 - logical operators, 251
- scope, 254
- snippet, 372
- string joining, 251–252
- `typeof` operator, 250
- variable naming, 248–249
- variables, declaring with `let` and `const`, 247–248
- JavaScript, asynchronous, 301
 - APIs (application programming interface) and JSON, 304
 - `fetch()` function, 305–306
 - JSON, data in plain text, 304–305
 - asynchronous operations, 302
 - callbacks and promises, 302
 - event loop, 302
 - error handling, 317
 - loading message, 317–318
 - try/catch with `async/await`, 318–319
 - file data, fetching, 306
 - data, rendering to page, 309–311
 - data, updating in one place, 308
 - donuts.json, creating, 306–308
 - JSON file, fetching, 308–309
 - form data, sending with `fetch()`, 315
 - form data, sending, 315
 - form submission, 315–317

- JavaScript, asynchronous (*continued*)
 - live data, fetching from web, 312
 - API documentation, reading, 314
 - Open-Meteo, 312
 - weather, displaying on page, 313–314
 - weather data, fetching, 312–313
 - promises and `async/await`, 303
 - `async` and `await` keywords, 303
 - `async` functions, calling, 304
- JavaScript and DOM, 263
 - document object, 266
 - DOM tree, 264–266
 - element selection, 266
 - attributes, working with, 272–273
 - CSS classes, adding and removing, 270–271
 - with CSS selectors, 267–268
 - data attributes, 273
 - elements, creating and adding, 274–276
 - elements, removing, 276
 - HTML content, changing, 269
 - by ID, 266–267
 - styles, changing, 269–270
 - text content, changing, 268–269
 - event object, 280–281
 - events, 276
 - common event types, 278–280
 - event listeners, adding, 276–277
 - understanding, 276
- JavaScriptCore, 244
- JavaScript libraries, 321
 - Alpine.js, 324
 - in action, 326–328
 - core directives, 325–326
 - distinguishing features, 325
 - component libraries, 328
 - Bootstrap, 329
 - Tailwind CSS, 329–330
- frameworks, major
 - Angular, 331
 - React, 330
 - Vue, 330
- frameworks, need for, 331
- jQuery, 323
 - reading code, 323–324
 - rise and adoption, 323
 - today, 324
- library, when useful, 322–323
- vanilla JavaScript, case for, 322
- JavaScript solutions, 283
 - form validation, 284
 - contact form validation, 286–287
 - invalid form submission, blocking, 288
 - real-time validation, 284
 - single-field validation, 285–286
 - submit button, disabling and enabling, 288–289
- mobile hamburger menu, 289
 - HTML structure, 290–291
 - menu closure on link and outside clicks, 293–294
 - toggle pattern, 290
 - writing CSS, 291–292
 - writing JavaScript, 293
- modal windows, 294
 - data attributes, modal triggering with, 297–298
 - HTML structure, 295–296
 - modal anatomy, 295
 - modal opening and closing, 298–299
 - modal styling, 296–297
- JAWS, 125
- Jetpack Backup, 642
- Jotform, 172, 375–377
- JPEG, 90, 428, 490, 596–597
- jQuery, 323
 - reading code, 323–324
 - rise and adoption, 323
 - today, 324
- JSON file, 306, 308–309
- `justify-content` property, 201

K

- keyboard accessibility, 170
- keyboard navigation, 123, 223
- keyboard-only navigation, 170
- keydown and keyup events, 278
- key events, 585
- keyword difficulty (KD), 474
- keyword research and strategy, 469
 - competitive analysis, 476
 - competitor keywords, 477
 - competitors, 477
 - content gaps, 477–478
- creating keyword strategy, 478
 - grouping keywords by topic, 478–479
 - keyword-to-page mapping, 479–480
 - prioritization, 480
- long-tail keywords, 475–476
- modern research tools, 471
 - data analysis, 474
 - Google tools, 472–473
 - organizing research, 474
 - seed keywords, 472
 - third-party keyword tools, 473
- user intent, 470
 - content implications, 471
 - types, 470–471

- keyword stuffing and SEO pitfalls, 480
 - natural keyword usage, 481–482
 - penalty recovery, 482
- KFC, 82
- kids' brands, 81
- Kinsta, 40, 338
- Kit, 382
- Klarna, 570
- Klaviyo, 556

L

- label elements, 168–169
- labels and form fields, 127
- landing pages, 393, 583
- lang attribute, 140
- large components, 99
- large language models (LLMs), 406
- Largest Contentful Paint (LCP), 460, 594
- launch-day checklist, 682
- launch-day problems, 685
 - browser/device differences, 686
 - fixing, waiting, or rolling back, 688
 - form submission failure, 687
 - missing images, 686–687
 - page update failures, 687
 - unstyled pages, 686
- launch plan, 677
 - launch-day runbook, 678
 - launch window, 678
 - post-launch monitoring, 679
 - rollback, 678
- launch process, 682
 - domain and propagation, 683
 - launch runbook, 683
 - switch confirmation, 683–684
- layout overflow, preventing, 222
- layout patterns, 103–104
- layout shifter, 103
- lazy loading, 75, 76, 598
- LCP. *See* Largest Contentful Paint (LCP)
- learning curve, 20, 386
- legal compliance, 675
 - accessibility check, 676
 - cookie and consent notices, 676
 - privacy policy, 675–676
 - terms of service, 676
- legal requirements for online selling, 529
 - accessibility, 532
 - privacy policies and terms of service, 529–530
 - return and refund policies, 531–532
 - sales tax, 530–531
- legend element, 165, 169
- LEGO, 81, 93
- let, declaring variables with, 247–248
- Let's Encrypt, 56, 500, 634–635, 644
- Lighthouse, 674
 - all-in-one checkup, 618
 - in Chrome DevTools, 609
- Limit Login Attempts Reloaded, 352, 633
- Linear (tool), 625
- line height, 122
- line-height property, 192
- line length, 122
- link checker, 670, 700
- LinkedIn, 82, 407, 411, 449
- link rot, 699
- links, 147
 - absolute vs relative links, 148
 - basic links, creating, 147
 - broken link, 504, 699
 - Broken Link Checker, 505
 - causes, 620
 - checking and fixing, 700–701
 - Google Search Console, 504
 - Screaming Frog SEO Spider, 505
 - tools for finding, 620–621
 - Dead Link Checker, 621, 700
 - external linking, 620–621, 700
 - internal linking, 490, 620, 700
 - anchor text, 492
 - linking structure, 491
 - navigation links, 143
 - permalinks, 425
 - skip links for navigation, 124–125
- Linode, 40
- List block, 347
- lists, 398
 - bulleted lists, 150–151
 - numbered lists, 151–152
- LiteSpeed Cache, 345
- live chat tools, 379–380
- live data, fetching from web, 312
 - API documentation, reading, 314
 - Open-Meteo, 312
 - weather, displaying on page, 313–314
 - weather data, fetching, 312–313
- loading spinner, 112
- Lobster font, 86
- local (block) scope, 254
- location-based content, 564
- logical operators, 251
- logical tab order, 124
- logo usage rules, 92

- long-form content, 415
- long-tail keywords, 475–476
- Lookback, 623
- Lorem ipsum*, 671, 672
- Lottie animations, 363
- low-fidelity sketches, 68–70
- LoyaltyLion, 565
- luxury brands, 81, 83

M

- Mac, 613
- Mailchimp, 29, 52, 80, 373, 382, 556
- maintenance of website, 18, 691
 - broken link
 - checking and fixing, 700–701
 - types of, 700
 - comment moderation, 698
 - content audits, 701
 - content inventory, 701
 - keep, 702
 - merge, 702
 - retire, 702
 - ROT test, 702
 - update, 702
 - content freshness, 694
 - content refreshing, 694
 - stale content, 694
 - updated content, 695
 - database maintenance, 698
 - backup before cleaning, 699
 - database cleanup, 698
 - maintenance schedule, creating, 692
 - schedule adherence, 693
 - task frequency, 692–693
 - performance maintenance, 696–697
 - plug-in, theme, and core software updates, 703
 - abandoned software, 704
 - safe update routine, 703–704
 - update automation, 704
 - update failure, 704
 - spam prevention, 697–698
 - spam sources, 697
 - uptime monitoring, 695–696
- Make, 385–386
- MalCare, 641, 645
- malware and hacking, 55
- malware scanning and prevention, 640
 - malware entry points, 640
 - scanning tools, 640–641
- managed hosting, 39–40
- managed WordPress hosting, 39–40, 338
- manager, 2
- manual keyboard testing, 132
- margin collapse, 184
- Matomo, 577, 585, 587
- max attribute, 162
- maxLength attribute, 161
- Maze, 623
- McDonald's, 82
- meaningful subheads, 398
- media libraries, 426
 - alt text, 428
 - file naming, 427
 - image processing, 427–428
 - organization, 427
- media queries
 - container queries vs, 214–215
 - responsive design with, 207
 - breakpoints, choosing, 207–208
 - common media query patterns, 209
 - media query syntax, 207
 - mobile-first approach, 208–209
- medium components, 99, 100
- mega menu, 106
- merchant account, 518, 519
- Merriweather font, 86
- metadata, 141, 598
 - for search engines, 141
- meta descriptions, 414, 485–487
- meta tags, missing/duplicate, 510
- method attribute, 159
- micro-interactions, 111–112
- Microsoft, 612
- Microsoft 365, 43
- Midjourney, 411
- min attribute, 162
- minification, 600–601
- minimum viable product (MVP), 16–17
- min-width property, 222
- missing files, 620
- missing images, 686–687
- mobile breakpoints, 101
- mobile device testing, 614
 - phones simulation, 614–615
 - real-device testing, 616
 - slow connections, 615–616
- mobile-first approach, 51, 208–209
- mobile-first design strategy, 17, 71
 - real-device testing, 73–75
 - starting small, 72
 - thumb zone, 72–73
- mobile-first indexing, 461
 - background, 461
 - implications for sites, 461–462

- mobile-friendliness, 499
 - mobile pitfalls, 499–500
 - mobile testing, 499
- mobile-friendly website, 11
- mobile hamburger menu, 289
 - HTML structure, 290–291
 - menu closure on link and outside clicks, 293–294
 - toggle pattern, 290
 - writing CSS, 291–292
 - writing JavaScript, 293
- mobile navigation patterns, 104–105
- mobile performance optimization, 607
 - font loading strategies, 608
 - render-blocking resources, 607–608
- modal windows, 294
 - data attributes, modal triggering with, 297–298
 - HTML structure, 295–296
 - modal anatomy, 295
 - modal opening and closing, 298–299
 - modal styling, 296–297
- modern HTML document structure, 139
 - body section, 141–142
 - DOCTYPE declaration, 140
 - head section, 140–141
 - html element, 140
- modern image formats, 90
- modern research tools, 471
 - data analysis, 474
 - Google tools, 472–473
 - organizing research, 474
 - seed keywords, 472
 - third-party keyword tools, 473
- modern visual tools, 25
 - advantages, 25–26
 - choosing, 26
 - cost, 26
 - disadvantages, 26
 - Framer, 25
 - Webflow, 25
- modern web design principles, 61
 - design iteration, 76
 - A/B testing, 77
 - early and frequent feedback, 76–77
 - stopping iteration, 77–78
 - information architecture (IA) and sitemaps, 66
 - content grouping and categorizing, 66–67
 - content inventory, 66
 - sitemap creation, 67–68
 - mobile-first design strategy, 71
 - real-device testing, 73–75
 - starting small, 72
 - thumb zone, 72–73
 - performance considerations, 75
 - design decisions affecting speed, 76
 - performance budget, 75
 - user experience (UX) fundamentals, 62
 - “don’t make me think” principle, 63–64
 - three-second rule, 62–63
 - user personas, creating, 64
 - first persona, building, 64–65
 - personas to guide design, 65
 - wireframes, 68
 - contents, 71
 - low-fidelity sketches, 68–70
 - wireframing tools, choosing, 70
- modern web landscape, 11
 - accessibility, 12
 - mobile-friendly website, 11
 - speed of website, 11–12
- modern websites, operation of, 45
 - APIs (application programming interfaces), 51
 - operation, 52
 - RESTful APIs, 52–53
 - client-server model, 46
 - client and server, 46
 - HTTP and HTTPS, 46–47
 - content management systems (CMS), 53
 - functions, 53–54
 - headless CMS, 54–55
 - popular CMS options, 54
 - CSS (Cascading Style Sheets), style, 48–49
 - HTML (HyperText Markup Language), structure, 47–48
 - JavaScript, interactivity, 49
 - mobile-first approach, 51
 - privacy compliance, 56
 - cookie consent solutions, 58
 - privacy-law requirements, 57–58
 - privacy laws, 57
 - responsive design, operation, 50–51
 - web security fundamentals, 55
 - security practices, 56
 - security threats, 55
- monochromatic, 84
- MonsterInsights, 345
- monthly security checklist, 644
- mood board, 81–82
- most-visited pages, 582
- motion preferences, 130, 228–229
- Mozilla, 612
- MP4, 156
- multi-author workflows, 430
 - change tracking, 432
 - draft-review-publish workflow, 431–432
 - roles and permissions, 431

- multicolumn content, 219–220
- multimedia, 445
 - images, 445
 - minimalism, 446
 - video, 445–446
- multiple screen sizes, designing for, 101
 - breakpoint strategy, 101–102
 - content prioritization across screens, 102–103
 - layout patterns, 103–104
- multiple selectors, 181
- MX record, 38, 43

N

- name attribute, 165, 315
- Namecheap, 37
- named colors, 186
- Nano Banana, 411
- natural keyword usage, 481–482
- navigation
 - patterns, 93
 - skip links for, 124–125
- Navigational, user intent, 470
- navigational keywords, 471
- navigation links, 143
- navigation menus, creating, 149
- Netlify, 506, 662–663, 665–666
- Netlify Forms, 171
- Netscape Navigator, 612
- newsletters, 394
 - email newsletters, 448–449
 - signup, 585
- new vs returning users, 583
- niche strategy, creating, 14
- Nickelodeon, 83
- Nike, 80, 83
- no-code workflow automation, 384
 - automation platform selection, 386
 - Make, 385–386
 - Zapier, 384–385
- node, 265
- NodeList, 267–268
- non-working discount offers, 557
- notification toast, 112
- Notion, 81, 396
- nulled themes, 342, 351
- null variable, 250
- Number(), 273
- numbered lists, 151–152
- Numbers, JavaScript, 249
- numeric values, 162
- NVDA, 125, 132

O

- objects
 - combining arrays and objects, 259–260
 - creation and use, 259
- off canvas, 103
- off-site backup, 650, 656
- Omnisend, 556, 558
- one-page voice guide, 400–401
- one-page vs multistep checkout, 571
- one-time costs, 15
- OneTrust, 58
- online directories, 12
- online selling, legal requirements for, 529
 - accessibility, 532
 - privacy policies and terms of service, 529–530
 - return and refund policies, 531–532
 - sales tax, 530–531
- on-page SEO, 483. *See also* search engine optimization (SEO); technical SEO
 - content optimization, 487
 - content depth and freshness, 489
 - keyword placement, 488
 - writing for people, 488
 - header tag hierarchy, 486
 - headings and SEO, 486
 - heading structure, 486–487
 - image optimization and alt text, 489
 - alt attribute, 489–490
 - file names and image formats, 490
 - internal linking, 490
 - anchor text, 492
 - linking structure, 491
 - meta descriptions, 485–486
 - schema markup, 494
 - impact on search results, 494
 - implementation tools, 495
 - schema types, 494
 - title tags, 484
 - effective, 484–485
 - URL structure and permalinks, 492
 - changing URLs, 493
 - common URL mistakes, 493
 - good URLs, 492–493
- OpenAI, 412
- Open-Meteo, 312, 314
- Open Sans font, 86, 87
- operable (POUR principles), 119–120
- operators, 250
 - arithmetic operators, 250–251
 - comparison operators, 251
 - logical operators, 251

- orange color, psychology of, 83
- Orbital Donuts (example donut shop), 9–10, 13–15, 17, 77, 661
 - Add to Cart button, 113
 - animations, 113–114
 - color psychology, 83
 - component library page, 114
 - container queries, 211–212
 - CSS dark mode, 239–240
 - CSS transition, 226
 - customer photos of products in reviews, 547
 - dark mode, avoiding, 111
 - design components, 98
 - design states, 109
 - design tokens, 108
 - Donut Box product page, 544
 - donut card, flexible design, 100
 - donut grid, column layout, 104
 - font pairing, 87
 - heading structure, 145
 - home page, component breakdown, 99–100
 - homepage, html example, 141
 - honeypot technique, 174
 - img element, 153
 - input types, 163
 - integration strategy for, 13–14
 - live run-through, 685
 - logo, SVG format, 90
 - mini design system, 107
 - mobile-first approach, 208
 - mood board, 81
 - Rocket Red Velvet, 539
 - semantic tags, 143–144
 - sticky navigation, 106
 - style guide, 92
- Orbitron font, 86, 87
- Order Confirmed page, 583
- orphan pages, 509–510
- outbound link click, 585
- outdated software, 631

P

- Pacifico font, 86
- page builders, 20, 23–25
 - Beaver Builder, 350
 - Divi, 350
 - Elementor, 349–350
 - features, 349
 - page builder features, 349
- page building with block editor, 347–348
- page flow, 199

- pages
 - average time on, 581
 - creating and organizing, 424
 - categories, tags, and taxonomies, 426
 - navigation, 425–426
 - URLs, structuring, 424–425
- PageSpeed Insights tool, 460, 461, 498–499, 618–619
- pages vs posts, 424
- page title, 141
 - and meta descriptions, 484
 - effective title tags, 484–485
 - meta descriptions, 485–486
 - title tags, 484
- page update failures, 687
- pageviews, 579
- pain points, 9
- Paletton, 85
- Panda, 458
- paper and pencil (tool), 70
- Paragraph block, 346
- paragraphs and text formatting, 146
- parameterized queries, 639–640
- Parcel, 601
- parseFloat(), 273
- password, 351, 637
 - creation, 637
 - manager, 637
- pattern attribute, 167
- patterns, 107
 - desktop navigation patterns, 105–106
 - layout patterns, 103–104
 - mobile navigation patterns, 104–105
 - vs noise, 590
- practical layout patterns, 215
 - card layouts, 218–219
 - floating button, 216–218
 - multicolumn content, 219–220
 - responsive headers, 215–216
 - sticky footer, 220
- toggle pattern, 290
- payment gateway, 519
- payment options, 570
- payment processing
 - APIs in, 52
 - e-commerce, 518
 - fees, 520–521
 - how it works, 518–519
 - payment providers, 519–520
- payment processor, 519
- PayPal, 375, 378, 518, 519, 528, 570
- PCI compliance, 527–528
- PDF accessibility, 130–131

- penalty recovery, 482
- Penguin, 458
- people with disabilities, user testing with, 133
- perceivable (POUR principles), 119
- percentage off, 561
- perfectionism, 17
- performance budget, 75
- performance maintenance, 696–697
- performance measurement, 450
 - key metrics, 450–451
 - tracking tools, 451
- performance monitoring tools, 608
 - Google PageSpeed Insights, 609
 - Lighthouse in Chrome DevTools, 609
- performance optimization, website, 593. *See also* site speed and performance
 - caching, 602
 - browser caching, 603
 - cacheable content, 604
 - WordPress caching plugins, 603–604
 - code minification and compression, 600
 - CSS and JavaScript minification, 601
 - server-side compression: Gzip and Brotli, 602
 - Core Web Vitals, 594
 - checking Core Web Vitals, 595–596
 - CLS (Cumulative Layout Shift), 595
 - INP (Interaction to Next Paint), 594–595
 - LCP (Largest Contentful Paint), 594
 - image optimization techniques, 596
 - image compression, 597–598
 - image formats, 596–597
 - lazy loading, 598
 - picture element, 599–600
 - responsive images, 599
 - mobile performance optimization, 607
 - font loading strategies, 608
 - render-blocking resources, 607–608
 - performance monitoring tools, 608
 - Google PageSpeed Insights, 609
 - Lighthouse in Chrome DevTools, 609
 - preloading critical resources, 604
 - DNS prefetching, 606–607
 - fonts, preloading, 605–606
 - hero image, 605
- performance scores, 674
- performance verification, 674
 - image audit, 674–675
 - Lighthouse, 674
 - performance scores, 674
- permalinks, 425
- Perplexity, 408
- persona*, 10
- personalization techniques, 563–564
- personas to guide design, 65
- Pexels, 91
- phishing and credential theft, 631
- phone number click, 585
- phone numbers, 162
- phone simulation, 614–615
- picture element, 599–600
- Pinterest, 81
- Pixabay, 91
- placeholder attribute, 161
- placeholder text, 129–130
- place-items property, 222
- plain spreadsheet, 625
- planning pitfalls, 16
 - competitors, copying, 17
 - feature creep, 16–17
 - maintenance of website, 18
 - mobile-first design, 17
 - perfectionism, 17
 - testing phase, skipping, 18
- planning web presence, 7
 - budget for website planning, 14–15
 - goals and target audience, 8
 - audience personas, 10
 - clear goals, setting, 8–9
 - target audience, 9–10
 - modern web landscape, 11
 - accessibility, 12
 - mobile-friendliness, 11
 - speed of website, 11–12
 - niche strategy, creating, 14
- planning pitfalls, 16
 - competitors, copying, 17
 - feature creep, 16–17
 - maintenance of website, 18
 - mobile-first design, 17
 - perfectionism, 17
 - testing phase, skipping, 18
- project timeline, 15–16
- website vs web presence, 12
 - cohesive strategy, integration into, 13–14
 - website, centerpiece, 13
- platform selection, 367
 - considerations, 368
 - platform guide, 368–369
- Plausible, 367, 451, 576, 585
- Plausible Analytics, 577
- plug-in, theme, and core software updates, 703
 - abandoned software, 704
 - safe update routine, 703–704
 - update automation, 704
 - update failure, 704

- plugins, 15, 23–24, 344, 632–633
- PNG, 90, 597
- pointerover and pointerout events, 278
- Polypane, 614
- pop-up forms, 383
- pop-up with incentive, 555
- post-launch monitoring, 679
- POST method, 159
- post-purchase email, 546, 560
- post-purchase sequence, 555
- POST requests, 315
- PowerPoint, 20
- practical layout patterns, 215
 - card layouts, 218–219
 - floating button, 216–218
 - multicolumn content, 219–220
 - responsive headers, 215–216
 - sticky footer, 220
- Prada, 83
- prefers-color-scheme media query, 238
- prefers-reduced-motion media query, 228
- pre-launch preparation, 669
 - analytics verification, 677
 - analytics tag, 677
 - real-time tracking, 677
 - full launch, 679–680
 - launch plan, 677
 - launch-day runbook, 678
 - launch window, 678
 - post-launch monitoring, 679
 - rollback, 678
- legal compliance, 675
 - accessibility check, 676
 - cookie and consent notices, 676
 - privacy policy, 675–676
 - terms of service, 676
- performance verification, 674
 - image audit, 674–675
 - Lighthouse, 674
 - performance scores, 674
- quality-assurance, 670
 - cross-browser and cross-device testing, 670
 - links, forms, and buttons, 670–671
 - proofreading, 671
 - public-environment testing, 671
- SEO pre-launch checklist, 672
 - HTTPS and clean URLs, 673
 - sitemap and robots.txt, 673
 - titles, descriptions, and previews, 673
 - visibility settings, 672–673
- soft launch, 679, 680
- preloading critical resources, 604
 - DNS prefetching, 606–607
 - fonts, preloading, 605–606
 - hero image, 605
- prepared statements. *See* parameterized queries
- press mentions, 548
- price display, 549
- primary audiences, 10
- primary-color, 111
- priority + pattern, 104
- Prismic, 435
- privacy compliance, 56
 - cookie consent solutions, 58
 - privacy-law requirements, 57–58
 - privacy laws, 57
- privacy-first tools, 576
- privacy policy, 57, 675–676
 - and terms of service, 529–530
- product images, 532, 537, 549
- production testing, 684
 - deployed version verification, 684
 - email delivery, 685
 - end-to-end testing, 685
- product pages, 533
 - A/B testing for conversions, 548
 - principles and limitations, 549
 - product page tests, 549–550
 - testing tools, 550
- creating, 534
 - above-the-fold content, 535
 - anatomy, 534–535
- customer reviews and social proof, 545
 - displaying reviews, 546–547
 - getting reviews, 545–546
 - negative review paradox, 547
 - other social proof, 548
- pricing strategies, 541
 - bundling, 542
 - price display, 542
 - pricing psychology, 541–542
 - tiered pricing, 543
- product descriptions, 538
 - addressing objections, 540–541
 - features vs benefits, 538–539
 - scannable writing, 539–540
- product variations and options, 543
 - presenting options, 543–544
 - simplicity, 545
 - variant images, 544
- results interpretation, 550–551
- product photography and images, 536
 - multiple angles and context shots, 537–538
 - smartphone photography, 536–537

- product variants, 526
- professional email addresses, 42
- progressive enhancement, 103
- project timeline, 15–16
- promises and `async/await`, 303
 - `async` and `await` keywords, 303
 - `async` functions, calling, 304
- proofreading, 671
- ProtonMail, 43
- pseudo-classes, styling states with, 234–236
- pseudo-elements, creating content with, 236–237
- `<p>` tag, 146
- public-environment testing, 671
- Pulsetic, 696
- purchase history recommendations, 563
- pure black, 110
- purple color, psychology of, 83

Q

- quality-assurance, 670. *See also* testing and quality assurance
 - cross-browser and cross-device testing, 670
 - links, forms, and buttons, 670–671
 - proofreading, 671
 - public-environment testing, 671
- `querySelector`, 267–268
- `querySelectorAll`, 267–268
- query strings for regular pages, 493
- quirks mode, 140

R

- radio buttons, 165
- ranking, 457
- Rank Math, 344, 501, 505
- React, 330
- readability, 88
- read more, link text, 129
- real-device testing, 73–75
- realistic publishing schedule, 396
- real-time calculated rates, 522
- real-time tracking, 677
- real-time validation, 284
- reCAPTCHA, 173–174
- reCAPTCHA v3, 173
- recognized payment logos, 571
- recurring costs, 15
- red color, psychology of, 82
- redirects, 505–506
- `ReferenceError`, 261
- relative URLs, 148

- `remove()` method, 276
- render-blocking resources, 607–608
- `repeat()` function, 204–205
- repository, Git, 651
- repurposing posts, 450
- request-response cycle, 46
- `required` attribute, 166–167
- `response.ok` property, 306, 309
- responsive and component-based design, 97
 - animation and transition planning, 113–114
 - component library, 114
 - component documentation, 114–115
 - design to implementation, 115
 - component states, 108–109
 - dark mode, 109
 - color system for, 110–111
 - design principles, 109–110
 - design system, creating, 107
 - design tokens, 107–108
 - interaction feedback, 112–113
 - micro-interactions, 111–112
 - multiple screen sizes, designing for, 101
 - breakpoint strategy, 101–102
 - content prioritization across screens, 102–103
 - layout patterns, 103–104
 - responsive design, 11, 26. *See also* mobile-first design strategy; responsive images; responsive navigation
 - with media queries, 207
 - breakpoints, choosing, 207–208
 - common media query patterns, 209
 - media query syntax, 207
 - mobile-first approach, 208–209
 - operation, 50–51
- responsive grid creation with `auto-fit`, 205
- responsive headers, 215–217
- responsive images, 155–156, 599
- responsive navigation, 104. *See also* component-based design
 - desktop navigation patterns, 105–106
 - mobile navigation patterns, 104–105
 - sticky navigation, 106
- REST APIs, 304–305
- RESTful APIs, 52–53
- retroactive analytics, 51
- return and refund policies, 531–532, 571
- return on ad spend (ROAS), 567
- return on investment (ROI), 554
- return statement, 253
- review sites, 12
- RGB colors, 187
- Rich Results Test, 506

- robots.txt file, 502
 - common mistakes, 503–504
 - writing, 503
- robust (POUR principles), 120
- Rolex, 81
- rollback strategies, 664
 - Netlify deploy history, 665–666
 - reverting commits, 665
 - uncommitted changes, discarding, 666
- root domain name, 34
- rotate() function, 230
- ROT test, 702
- rows attribute, 164
- RSS (Really Simple Syndication) feeds, 449
- runbook, 678

S

- Safari, 195, 613
- safe update routine, 703–704
- Salesforce, 93
- sales tax, 530–531
- Sanity, 435
- sans-serif fonts, 86, 122
- scale() function, 232
- scannable web content, 397
 - before-and-after rewrite, 399
 - front-loaded sentences and paragraphs, 397
 - inverted pyramid, 397
 - lists, 398
 - meaningful link text, 398
 - meaningful subheads, 398
 - short paragraphs, 398
- scannable writing, 539–540
- schedule adherence, 693
- schema markup, 494
 - impact on search results, 494
 - implementation tools, 495
 - schema types, 494
- Schema Markup Validator, 506
- scope, 254
- Screaming Frog, 510
- Screaming Frog SEO Spider, 505, 620–621, 701
- screen readers, 125, 168–169
 - alternative text for images, 126
 - ARIA (Accessible Rich Internet Applications), 126–127
 - heading structure and hierarchy, 126
 - semantic HTML, 125
 - testing, 132
- script fonts, 86
- <script> tag, 245

- search engine optimization (SEO), 344, 455. *See also*
 - on-page SEO; technical SEO
- Core Web Vitals and page experience, 459
 - checking vitals, 460–461
 - three metrics, 460
- E-E-A-T (experience, expertise, authoritativeness, trustworthiness), 462
 - components, 462–463
 - demonstrating on sites, 463–464
- Google algorithm updates, 458
 - implications, 459
 - key updates, 458–459
- how search engines work, 456
 - crawling, 456
 - indexing, 456–457
 - other search engines, 457–458
 - ranking, 457
- local SEO, 464
 - Google Business Profile, 464–465
 - local ranking factors, 465
 - reviews and reputation, 466
- mobile-first indexing, 461
 - background, 461
 - implications for sites, 461–462
- pre-launch checklist, 672
 - HTTPS and clean URLs, 673
 - sitemap and robots.txt, 673
 - titles, descriptions, and previews, 673
 - visibility settings, 672–673
- SEO myths, 466–467
- search engines, metadata for, 141
- search volume, 474
- seasonal and time-limited promotions, 562
- secondary audiences, 10
- second-level domain, 34
- security essentials, website, 629
 - authentication, 636
 - password creation, 637
 - passwords, 637
 - two-factor authentication (2FA), 637–638
 - backup rule, 641
 - backup source and frequency, 642
 - backup testing, 643
 - backup tools, 642
 - cross-site scripting (XSS), 638–639
 - malware scanning and prevention, 640
 - malware entry points, 640
 - scanning tools, 640–641
 - security plan, 643
 - monthly security checklist, 644
 - professional help, 644–645
 - SQL injection, 638

- security essentials, website (*continued*)
 - SQL injection and XSS, defences against, 639–640
 - SSL certificates and HTTPS, 634
 - forcing HTTPS, 635
 - Let's Encrypt, 634–635
 - security headers, 635–636
 - what SSL does, 634
 - WordPress security, 632
 - Limit Login Attempts Reloaded, 633
 - login URL, 633
 - plug-in selection, 632–633
 - security plug-ins, 633–634
 - updates, 632
- security headers, 635–636
- security plan, 643
 - monthly security checklist, 644
 - professional help, 644–645
- security practices, 56
- security threats, 55, 630
 - common attacks, 630–631
 - other notable threats, 631
- seed keywords, 472
- self-closing tag, 152
- self-fulfillment, 523
 - vs outsourcing, 523–524
- semantic colors, 110–111
- semantic HTML elements, 125, 142
 - essential semantic tags, 143–145
 - headings, document hierarchy, 145–146
 - importance of, 142–143
 - paragraphs and text formatting, 146
- semicolon, 176
- Sendinblue. *See* Brevo
- serif + sans-serif fonts, 88
- serif fonts, 86
- service and product pages, 393
- sessions, 579
- Seventh Generation, 81
- SFTP (Secure File Transfer Protocol), 664
- shadow tokens, 108
- shared vs managed hosting, 39–40
- shared WordPress hosting, 338
- ShipBob, 524
- ShipMonk, 524
- shipping
 - APIs in, 52
 - and fulfillment options, e-commerce, 521
 - self-fulfillment vs outsourcing, 523–524
 - shipping strategies, 522–523
 - shipping zones and rates, 524–525
 - rates, 524
- Shopify, 22, 29, 54, 57, 514–515, 528, 531, 544, 550, 556, 597
- Shop Pay, 570
- shopping cart, 105
- short-form content, 415
- short paragraphs, 398
- showError(), 287
- Simple Analytics, 577
- single-field validation, 285–286
- Site Controls, 634
- Site Editor, 340, 343
- site files, 642
- SiteGround, 39, 338
- Site Kit, 345
- site speed and performance, 498
 - speed improvements, 498
 - speed testing, 498–499
- Site Styles panel, 358
- situational disabilities, 117
- sizes attribute, 155
- size variations, 100
- skip links for navigation, 124–125
- SKUs (stock keeping units), 525–526
- slow connections, 615–616
- small components, 99
- smartphone photography, 536–537
- Smile.io, 565
- Snapchat, 83
- social media, 381
 - APIs in, 52
 - blogging vs, 438
 - profiles, 12
 - sharing, 449
- social proof placement, 550
- Softaculous, 339
- soft launch, 679, 680
- software, abandoned, 704
- Solid Security, 344, 634
- Sources tab, 261
- spacing, 92, 107
- spacing tokens, 108
- spam management, 447
- spam prevention, 172, 697–698
 - choosing spam-prevention methods, 174
 - honeypot technique, 172–173
 - reCAPTCHA, 173–174
- spam sources, 697
- span element, 142
- speed of website, 11–12
 - design decisions affecting, 76
 - improvements, 498
 - testing, 498–499

- testing tools, 618
 - Google PageSpeed Insights, 618–619
 - GTmetrix, 619
- SpiderMonkey, 244
- split test. *See* A/B testing
- Spotify, 82, 364
- SQL injection, 55, 631, 638–639
 - and cross-site scripting, defences against, 639–640
- Square, 519
- Square Online, 516
- Squarespace, 22, 29, 54, 89, 369, 373, 556, 597
 - getting started, 358–359
 - Wix vs, 359–360
- Squarespace Domains, 37
- Squoosh, 597
- src attribute, 153, 155
- srcset attribute, 155, 599
- SSL (Secure Sockets Layer), 56, 570
- SSL certificates and HTTPS, 634
 - forcing HTTPS, 635
 - Let's Encrypt, 634–635
 - security headers, 635–636
 - what SSL does, 634
- Stable Diffusion, 412
- stack, 1
- stale content, 694
- standards-compliant code, 25
- Starbucks, 82
- star rating and review count, 546
- state variations, 100
- static site generators, 29, 423
- statistical significance indicator, 550
- step attribute, 162
- sticky footer, 220
- sticky navigation, 106
- stock levels, 525–526
- stock photos, 91
- Storyblok, 435
- Strapi, 435
- string joining, 251–252
- Strings, JavaScript, 249
- Stripe, 81, 518, 519, 528
- structured content, 415
- structured data testing, 506
 - common errors, fixing, 506–507
 - Rich Results Test, 506
 - Schema Markup Validator, 506
- style guide, 92–93
- subdomain, 34
- submit button, disabling and enabling, 288–289
- submit event, 278

- subscriber, 431
- Sucuri, 56, 645
- Sucuri Security, 634
- Sucuri SiteCheck, 640–641
- SVG (Scalable Vector Graphics), 90, 597
- swap value, 608
- switch confirmation, 683–684
- switch statements, 255–257
- SyntaxError, 261
- system fonts, 88, 192

T

- tablet breakpoints, 102
- tab order, 124
- Tailwind CSS, 329–330
- TalkBack, 125
- Target, 80
- target audience, defining, 9–10
- task-based organization, 67
- task frequency, 692–693
- tawk.to, 379–380
- TaxJar, 531
- technical SEO, 497. *See also* on-page SEO; search engine optimization (SEO)
 - broken links, 504
 - finding, 504–505
 - Google Search Console, 507
 - fixing issues, 508
 - key reports, 508
 - setup, 507
 - HTTPS and security, 500
 - HTTPS set up, 500
 - mixed content warnings, 500–501
 - mobile-friendliness, 499
 - mobile pitfalls, 499–500
 - mobile testing, 499
 - problems, 509
 - crawl errors, 509
 - duplicate content, 509
 - missing or duplicate meta tags, 510
 - orphan pages, 509–510
 - redirects, 505
 - setting up, 505–506
 - robots.txt file, 502
 - common mistakes, 503–504
 - writing, 503
 - site speed and performance, 498
 - speed improvements, 498
 - speed testing, 498–499

- technical SEO (*continued*)
 - structured data testing, 506
 - common errors, fixing, 506–507
 - Rich Results Test, 506
 - Schema Markup Validator, 506
 - XML sitemaps, 501
 - sitemap contents, 501
 - sitemap creation, 501–502
 - sitemap submission to Google, 502
- tech savviness, 9
- tech startups, 81
- template literals, 249
- templates, website, 20, 22
- temporary disabilities, 117
- Termageddon, 530
- Termly, 58, 530
- terms of service, 676
- Terser, 601
- testing and quality assurance, 611
 - accessibility testing, 616
 - axe DevTools, 617
 - Lighthouse, 618
 - WAVE, 616–617
 - broken link checking, 620
 - broken link tools, 620–621
 - causes, 620
 - bug tracking and resolution, 623
 - bug reports, 624
 - tracking tools, 624–625
 - cross-browser testing, 612
 - browser compatibility, 612–613
 - browsers for testing, 613
 - cross-device testing, 613–614
 - mobile device testing, 614
 - phones simulation, 614–615
 - real-device testing, 616
 - slow connections, 615–616
 - speed testing tools, 618
 - Google PageSpeed Insights, 618–619
 - GTmetrix, 619
 - testing checklist, 625–627
 - user testing, 621
 - basics, 621–622
 - five-second test, 622–623
 - hallway test, 622
 - remote testing, 623
- testing before committing, 30–31
- testing phase, skipping, 18
- test locations, 619
- TestMU AI, 614
- text-align property, 191
- textarea element, 164
- text content, changing, 268–269
- textContent property, 268
- text-decoration property, 191
- text formatting, 146
- text nodes, 265
- text-only websites, 152
- text-primary, 111
- text properties, CSS, 191–192
- text-secondary, 111
- theme and design of website, 15
- ThemeForest, 341
- themes, 23–24
- third-party keyword tools, 473
- third-party logistics provider (3PL), 524
- third-party scripts, 76
- third-party tool approach, 372
 - embed code placement, 373
 - embedding, 372–373
 - evaluation, 373–374
- three-second rule, 62–63
 - clarity, 62
 - navigation, 62
 - trust signals, 63
 - visual hierarchy, 63
- thumb zone, 72–73
- Tidio, 380
- TikTok, 381
- time investment, 15, 28
- Times New Roman font, 86
- Time to Live (TTL) countdown timers, 683
- tiny click targets, 130
- TinyPNG, 598
- title tags, 484–485
- TLS (Transport Layer Security), 56
- Todoist, 396
- toggle pattern, 290
- topic clusters, 478
- top-level domain (TLD), 34–36
- traditional CMS, 422–423, 434
- traffic sources, 580
- Transactional, user intent, 450, 470
- transactional keywords, 471
- transform functions, 231–232
- transform-origin property, 232–233
- transform property, 226, 231
- translate() function, 231
- translateX() function, 231
- translateY() function, 231
- Trello, 396, 625
- triadic colors, 84

- trim() method, 286
- trust badges, 548
- trust signals, 570–571
- try/catch with async/await, 318–319
- Twitch, 83
- Twitter, 82, 437
- 2D transforms, 231–232
- two-factor authentication (2FA), 56, 352, 637–638
- TXT record, 38
- TypeError, 261
- Typeform, 29, 172, 376, 377
- typeof operator, 250
- type selector. *See* element selector
- Typewolf, 88
- typography, 92, 107
 - accessible, 122–123
 - tokens, 108
 - for the web, 85
 - font pairing, 87–88
 - fonts, personality, 86–87
 - web fonts, 88–89

U

- Ubersuggest, 473
- undefined variable, 250
- understandable (POUR principles), 120
- unitless number, 192
- unordered lists, 150
- Unsplash, 91
- unstyled pages, 686
- update automation, 704
- updated content, 695
- update failure, 704
- UpdraftPlus, 344–345, 642
- upselling and cross-selling strategies, 559–560
- uptime and performance monitoring, 695
 - 99.99 percent uptime, 696
 - performance maintenance, 696–697
 - uptime monitoring, 695–696
- uptime percentage, 696
- UptimeRobot, 696
- URLs
 - absolute URLs, 148
 - changing, 493
 - common mistakes, 493
 - good URLs, 492–493
 - relative URL, 148
 - structuring, 424–425
- user experience (UX), 62
 - “don’t make me think” principle, 63–64
 - three-second rule, 62–63
- user-generated content, 548
- user intent, 470
 - content implications, 471
 - types, 470–471
- user personas, creating, 64
 - first persona, building, 64–65
 - personas to guide design, 65
- user rights, 57
- users, 579
- user testing, 621
 - basics, 621–622
 - five-second test, 622–623
 - hallway test, 622
 - remote testing, 623
- user testing with people with disabilities, 133

V

- V8, 244
- validity.valid property, 284
- validity object, 284
- value-added tax (VAT) system, 531
- vanilla JavaScript vs libraries, 322
 - library, when useful, 322–323
 - vanilla JavaScript, case for, 322
- var() function, 193
- variable naming, 248–249
- vendor lock-in, 349
- Vercel, 663, 665
- verified reviews, 546
- version control, 649, 650
 - deployment options, 662
 - FTP deployment, 664
 - GitHub Pages, 663–664
 - Netlify, 662–663
 - Vercel, 663
- environment management, 661
 - setting up staging, 661–662
 - staging environment, 661
- Git, 651
 - .gitignore, 655–656
 - command line, 652
 - Git workflow, 654
 - project history, 654–655
 - repository initialization, 652–653
 - staging and committing, 653–654

- version control (*continued*)
 - Git cheat sheet, 666–667
 - GitHub for website projects, 656
 - cloning and pulling, 658
 - connecting local repositories, 657–658
 - GitHub repositories, 656–657
 - Git workflows for solo developers, 659
 - branches, 660
 - intentional commits, 659
 - importance of, 650
 - importance of, 650
 - rollback strategies, 664
 - discarding uncommitted changes, 666
 - Netlify deploy history, 665–666
 - reverting commits, 665
- video playback and filmstrip view, 619
- videos, 130, 394, 445–446
 - adding, 155–156
- viewport settings, 141
- Vimeo, 156, 445, 446
- visible labels, 169
- visitors behavior, 581
 - device and geographic data, 584
 - exit pages, 583–584
 - landing pages, 583
 - most-visited pages, 582
 - new vs returning users, 583
 - visitor paths, 582–583
- visual brainstorming, 81
- visual design and branding, 79
 - color psychology, 82–83
 - 60-30-10 rule, 83–84
 - color harmony, creating, 84–85
 - design documentation, 94
 - design iteration and refinement, 94–95
 - design systems, 93
 - images, 89
 - modern image formats, 90
 - stock photos, 91
 - style guide, 92–93
 - typography for the web, 85
 - font pairing, 87–88
 - fonts, personality, 86–87
 - web fonts, 88–89
- visual grouping, 160
- visual identity, creating, 80
 - brand personality, 80–81
 - mood board, 81–82
- visually element reordering, 222–223
- visual tools, 20, 21
 - modern, 25
 - advantages, 25–26
 - choosing, 26

- cost, 26
- disadvantages, 26
- Framer, 25
- Webflow, 25
- visual website builders, 355
 - Framer, 364
 - AI features, 366
 - design canvas, 364–366
 - publishing and Framer CMS, 366–367
 - platform selection, 367
 - considerations, 368
 - platform guide, 368–369
 - Squarespace, getting started, 358–359
 - Webflow, 360
 - interactions and animations, 363
 - responsive sites, visual building, 361–362
 - Webflow CMS, 362–363
 - Webflow pricing and learning investment, 363–364
 - Wix, getting started, 356–358
 - Wix vs Squarespace, 359–360
- Vite, 601
- voice consistency across authors, 401
- VoiceOver, 125
- voice vs tone, 400
- void tag, 152
- Vue, 330
- Vultr, 40

W

- W3C Link Checker, 620
- W3 Total Cache, 603–604
- waterfall chart, 619
- WAVE (Web Accessibility Evaluation Tool), 131, 132, 616–617
- weak passwords, 351
- “we are X but not Y” exercise, 400
- weather, displaying on page, 313–314
- weather data
 - APIs in, 52
 - fetching, 312–313
- WebAIM Contrast Checker, 132
- web application firewall (WAF), 344, 352, 639
- web content, AI's role in, 406
 - AI applications, 406–407
 - AI functions, 406
 - AI limitations, 407
- Web Content Accessibility Guidelines (WCAG), 119
 - conformance levels, 120
 - four POUR principles, 119–120
 - WCAG document, 12

- Webflow, 25, 360, 369, 373
 - interactions and animations, 363
 - responsive sites, visual building, 361–362
 - Webflow CMS, 362–363
 - Webflow pricing and learning investment, 363–364
- Webflow Designer, 361
- web fonts, 88–89, 192–193, 605
- web hosting, 15
 - email through, 42
- web hosting services, choosing, 38
 - cloud hosting, 40
 - shared vs managed hosting, 39–40
 - WordPress-specific hosting, 41
- WebM, 156
- webmaster, 2
- WebP, 76, 90, 597
- webpack, 601
- web presence, website vs, 12
 - centerpiece, website as, 13
 - cohesive strategy, integration into, 13–14
- web security fundamentals, 55
 - security practices, 56
 - security threats, 55
- website addresses, 162–163
- website analytics, understanding, 575
 - analytics insights, 576
 - analytics tools, 577
 - tracking code installation, 578
 - tracking verification, 579
- custom reports, 588
- data-driven decisions, 589
 - data into action, 590
 - patterns vs noise, 590
 - weekly check-ins, 589–590
 - when to seek help, 591
- goals and events, 584
 - automatically tracked events, 585–586
 - custom events, 586–587
 - goals, 585
 - marking events as goals, 587–588
- key metrics, 579
 - average time on page, 581
 - bounce rate, 580
 - date ranges and comparisons, 581
 - engagement rate, 580
 - pageviews, 579
 - sessions, 579
 - traffic sources, 580
 - users, 579
- visitors behavior, 581
 - device and geographic data, 584
 - exit pages, 583–584
 - landing pages, 583
 - most-visited pages, 582
 - new vs returning users, 583
 - visitor paths, 582–583
- website builders, 20–22
 - advantages, 22
 - choosing, 23
 - cost, 23
 - disadvantages, 22–23
- web standards, 25
- weekly check-ins, 589–590
- welcome sequence, 554
- white color, psychology of, 83
- WHOIS database, 35
- Whole Foods, 82
- wide-desktop breakpoints, 102
- win-back sequence, 555
- wireframes, 68
 - contents, 71
 - definition, 68
 - low-fidelity sketches, 68–70
 - wireframing tools, choosing, 70
- Wix, 22, 54, 89, 369, 373
 - getting started, 356–358
 - vs Squarespace, 359–360
- Wix AI Website Builder, 358
- Wix Harmony Editor, 356
- Wix Website Editor, 356
- WooCommerce, 337, 515–516, 528, 532, 544, 556, 565
- Wordfence, 56, 640
- Wordfence Security, 344, 633
- WordPress, 20, 21, 23, 54, 57, 89, 501, 597, 599, 633, 640, 697
 - advantages, 24
 - vs alternatives, 337–338
 - caching plugins, 603–604
 - choosing, 24
 - cost, 25
 - disadvantages, 24
 - specific hosting, 41
- WordPress.com, 23, 336–337
- WordPress.org, 23–24, 337
- WordPress for small businesses, 335, 336
 - block editor, building pages with, 345
 - blocks, using, 346
 - business-page blocks, 346–347
 - page building with block editor, 347–348
- essential plugins for business websites, 343
 - essential plugin categories, 344–345
 - plugins installation, 343–344
- installation and setup, 338
 - one-click installation, 339
 - WordPress dashboard, 339–341
 - WordPress-friendly hosting, 338–339

WordPress for small businesses (*continued*)

- page builders: Elementor and alternatives, 348

- Elementor, 349–350

- other page builders, 350

- page builder features, 349

- themes and customization, 341

- free vs premium themes, 341–342

- theme customization, 342–343

- theme installation, 342

WordPress security, 632

- best practices, 350

- security checklist, 352–353

- WordPress sites, hacking, 351

- Limit Login Attempts Reloaded, 633

- login URL, 633

- plug-in selection, 632–633

- security plug-ins, 633–634

- updates, 632

World Health Organization, 117

World Wide Web Consortium (W3C), 119

WP Engine, 40

WPForms, 345

WP Rocket, 604

WP Super Cache, 345, 604

writing with AI tools, 407

- improving AI results, 409–410

- major AI tools, 408

- prompts, 408–409

www subdomain, 35

X

X (formerly Twitter), 36, 52

XML sitemaps, 501

- sitemap contents, 501

- sitemap creation, 501–502

- sitemap submission to Google, 502

x-model, 328

XSS. *See* cross-site scripting (XSS)

Y

yellow color, psychology of, 83

Yoast SEO, 344

YouTube, 156, 403, 445, 446, 636

Z

Zapier, 384–385

Zoho Mail, 43